

# TRANSMITTERS

433,92 Mhz / 868 Mhz rolling code  
self learning code with transponder 433,92 Mhz  
433,92 Mhz programmable code

# TO.GO



- TO.GO is the new concept of an evolved remote control available in the rolling code version with programmable code and with integrated transponder
- With 2 or 4 channels, TO.GO in the black and white versions combines design and innovative lines in a remote control with multiple functions
  - Available also with sequential code for multiple code storage

# TRANSMITTERS

433,92 Mhz rolling-code



## TO.GO2WV/TO.GO2WVS

433,92 Mhz 2 channels rolling-code transmitter. Available in 10 pcs packing.  
TO.GO2WVS: Sequential self-learning of the transmitters with Advantage system



## TO.GO4WV/TO.GO4WVS

433,92 Mhz 4 channels rolling-code transmitter. Available in 10 pcs packing.  
TO.GO4WVS: Sequential self-learning of the transmitters with Advantage system

868 Mhz rolling-code



## TO.GO2QV

868 Mhz 2 channels rolling-code transmitter. Available in 10 pcs packing.



## TO.GO4QV

868 Mhz 4 channels rolling-code transmitter. Available in 10 pcs packing.

## 433,92 MHz RECEIVERS AND ACCESSORIES



### ONE.2WB ONE.2WI

433,92 Mhz universal receiver, 2 box/plug in channels. Capable of managing three different types of coding: rolling code, programmable code and advanced rolling code(ARC). It picks up the coding after the first contact with the One transmitter.




### RR.4WBV RR.4WBV24

433,92Mhz 4-channels receiver rolling code. It is programmable through digital display. 230 Vac power supply mod. RR.4WBV and 24 Vac/dc mod.RR.4WBV24. Advantage system compatible. It works also by battery, 12Vdc with self-rechargeable circuit. Max. 4 relays output up to 5A



### CALL

Four-channel GSM receiver, up to 4 automations control, without limits of distance. Makes it possible to use the device by means of a mobile telephone. All characteristics on page 188



### MEM2048

Accessory that allows the extension of the receiver memory up to 2048 codes. For rolling code receiver



### AW

433,92Mhz aerial with 5mts cable.

## 868 MHz RECEIVERS AND ACCESSORIES



### ONE.2QB ONE.2QI

868 Mhz universal receiver, 2 box/plug in channels. Capable of managing three different types of coding: rolling code, programmable code and advanced rolling code(ARC). It picks up the coding after the first contact with the One transmitter.



### MEM2048

Accessory that allows the extension of the receiver memory up to 2048 codes. For rolling code receiver



### AQ

868 Mhz aerial with 5mts cable.



### BT12

12 V Battery, for transmitter, available in 50 pcs packing

# TRANSMITTERS

433,92 Mhz programmable code



## TO.GO2WP

2 channels transmitters, dip-switches code.  
Available in 10 pcs packing



## TO.GO4WP

4 channels transmitters, dip-switches code.  
Available in 10 pcs packing



## TO.GO2WK

2 channels self-learning code transmitter.  
Available in 10 pcs packing



## TO.GO4WK

4 channels self-learning code transmitter.  
Available in 10 pcs packing

# RECEIVERS AND ACCESSORIES



## ONE.2WB

433,92 Mhz universal receiver, 2 box channels. Capable of managing three different types of coding: rolling code, programmable code and advanced rolling code. It picks up the coding after the first contact with the One transmitter.



## ONE.2WI

433,92 Mhz universal receiver, 2 plug in channels. Capable of managing three different types of coding: rolling code, programmable code and advanced rolling code. It picks up the coding after the first contact with the One transmitter.



## RR.4WBP RR.4WBP24

433,92Mhz 4-channels receiver with programmable codes. It is programmable through digital display. 230 Vac power supply mod.RR.4WBV and 24 Vac/dc mod.RR.4WBV24. It works also by battery,12Vdc with self-rechargeable circuit. Max. 4 relais output up to 5A



## CALL

Four-channel GSM receiver, up to 4 automations control, without limits of distance. Makes it possible to use the device by means of a mobile telephone. All characteristics on page 188



## BT12

12 V Battery, for transmitter, available in 50 pcs packing



## AW

433,92Mhz aerial with 5mts cable.